



## Midwifery Bulletin September 2020

You must be a member of the Healthcare Library to read the articles listed in this bulletin. To read an article, click the title, log in with your Healthcare Library number and password, then click any PDF or full text links that appear

[Midwives' role in screening for antenatal depression and postnatal depression](#)

[Maternal caffeine consumption and pregnancy outcomes: a narrative review with implications for advice to mothers and mothers-to-be](#)

[The risks of a range of maternal pregnancy choices, expressed as "baby micromorts" \(risk of death per million births\)](#)

[Altered sucking dynamics in a breastfed infant with Down syndrome: a case report](#)

[Pregnancy in Mind \(PiM\)- a process evaluation of an antenatal programme developed and delivered by the NSPCC](#)

[Antenatal management of multiple pregnancies within the UK: A survey of practice](#)

[Squatting position in the second stage of labor: A systematic review and meta-analysis](#)

[Physiology's role in labour assessment](#)

[Tools for frontline professionals to improve the way they respond and learn following patient safety](#)

[Changes in the management of iron in pregnancy](#)

[Supporting vegans through pregnancy and lactation](#)

[Virtual antenatal clinics](#)

[Hands up if you do not understand hands on](#)

[Maternal and neonatal outcomes for the gentle caesarean section in breech presentation](#)

[Maternal iodine status, intrauterine growth, birth outcomes and congenital anomalies in a UK birth cohort](#)

[Providing continuity of carer is one way to work towards the NHS Better Births goal](#)

[Midwives' views of changing to a Continuity of Midwifery Care \(CMC\) model in Scotland: A baseline survey](#)

[Women's experiences of their maternity care: A principle- based concept analysis](#)

### ***Cochrane Systematic Reviews***

[Aspirin \(single dose\) for perineal pain in the early postpartum period](#)

[Treatments for breast engorgement during lactation](#)

[Home versus inpatient induction of labour for improving birth outcomes](#)

[Setting and techniques for monitoring blood pressure during pregnancy](#)

[Induction of labour at or beyond 37 weeks' gestation](#)

[Complementary and alternative therapies for post-caesarean pain](#)

Disclaimer: The Clinical Education Centre and The Healthcare Library cannot guarantee the correctness of the information in this bulletin. The information is subject to change and we cannot ensure it will remain up-to-date. It is your responsibility to check accuracy and validity.

Sources:

[Journal of Midwifery & Women's Health](#); [British Journal of Midwifery](#); [Midwifery](#); [RCM Midwives](#); [Midwifery Matters](#); [Midwifery Today](#); [Complementary Therapies in Clinical Practice](#); [BJOG](#); [Community Practitioner](#); [Birth](#)