



Midwifery Bulletin November 2020

You must be a member of the Healthcare Library to read the articles listed in this bulletin. To read an article, click the title, log in with your [Healthcare Library](#) number and password, then click any PDF or full text links that appear

[What items should be included in an early warning score for remote assessment of suspected COVID-19? qualitative and Delphi study](#)

[The COVID-19 Pandemic Can Impact Perinatal Mental Health and the Health of the Offspring](#)

[Parental mental health before and during pregnancy and offspring birth outcomes: A 20-year preconception cohort of maternal and paternal exposure](#)

[Guidance for healthcare professionals on coronavirus \(COVID-19\) infection in pregnancy, published by the RCOG, Royal College of Midwives, Royal College of Paediatrics and Child Health, Public Health England and Public Health Scotland. Updated October v12](#)

[COVID-19: women with diabetes and hypertension during pregnancy](#)

[The impact of the Covid-19 lockdown on the experiences and feeding practices of new mothers in the UK: Preliminary data from the COVID-19 New Mum Study](#)

[The effects of music intervention on breast milk production in breastfeeding mothers: A systematic review and meta-analysis of randomized controlled trials](#)

[A service evaluation of a hospital-based specialist postnatal breastfeeding clinic](#)

[Saving babies' lives in a pandemic](#)

[Improving outcomes through education and co-creation](#) two educators reflect on the actions they have taken to improve outcomes for mothers

[Pregnancy and weight monitoring: A feasibility study of weight charts and midwife support](#)

[Obesity in pregnancy in the UK](#)

[Skin-to-skin contact following caesarean section: a narrative review](#)

[Intrapartum-related perinatal deaths in births planned in midwifery-led settings in Great Britain: findings and recommendations from the ESMiE confidential enquiry](#)

[Antenatal management of multiple pregnancies within the UK: A survey of practice](#)

[Aspirin non-response in pregnant women at increased risk of pre-eclampsia](#)

[Factors associated with maternal readmission to hospital, attendance at emergency rooms or visits to general practitioners within three months postpartum](#)

[Sufficiency serum vitamin D before 20 weeks of pregnancy reduces the risk of gestational diabetes mellitus](#)

[Syphilis in pregnancy in the UK The outcome of pregnancy in women with cystic fibrosis: a UK population-based descriptive study](#)

Disclaimer: The Clinical Education Centre and The Healthcare Library cannot guarantee the correctness of the information in this bulletin. The information is subject to change and we cannot ensure it will remain up-to-date. It is your responsibility to check accuracy and validity.

Sources:

[Journal of Midwifery & Women's Health](#); [British Journal of Midwifery](#) [Midwifery](#) ; [RCM Midwives](#); [Midwifery Matters](#) [Midwifery Today](#); [Complementary Therapies in Clinical Practice](#) [BJOG](#); [Community Practitioner](#); [Birth](#)